

# An updated checklist of aphids (Homoptera: Aphididae) infesting brassica plants (Angiospermae: Brassicales: Brassicaceae) in India

Singh Rajendra<sup>1\*</sup> and Agrawal Ruhi<sup>2</sup>

<sup>1</sup> Department of Zoology, Deen Dayal Upadhyaya Gorakhpur University, Gorakhpur, Uttar Pradesh, India

<sup>2</sup> Department of Zoology, St. Joseph's College for Women, Gorakhpur, Uttar Pradesh, India

Correspondence Author: Singh Rajendra

Received 19 Apr 2022; Accepted 23 May 2022; Published 11 June 2022

## Abstract

The present aphid-host plant checklist demonstrates that at least 27 species of plants of the family Brassicaceae are infested by 31 species of aphids belonging to a single subfamily Aphidinae (Homoptera: Aphididae) in India. The maximum number of aphid species are found to colonise on *Brassica oleracea* L. and *Raphanus sativus* L. (15 species each), followed by *Brassica napus* L. (9 species). Similarly, the maximum number of plant species (19 plant species) were infested by *Myzus (Nectarosiphon) persicae* (Sulzer), followed by *Lipaphis (Lipaphis) erysimi* (Kalt.) (18 plant species) and *Brevicoryne brassicae* L. (15 plant species).

**Keywords:** brassicaceae, aphididae, aphids, pests, cabbage, cauliflower, mustard, radish

## Introduction

Brassicaceae, commonly known as the family of mustards, the crucifers, or the cabbage, is a medium-sized and economically important family, being mostly herbaceous or shrubs and includes 372 genera and 4,060 accepted species [1]. The family contains several agricultural crops particularly the vegetables such as broccoli, cabbage, cauliflower, collards, kale (*Brassica oleracea* L.); Chinese cabbage, turnip (*Brassica rapa* L.); radish (*Raphanus sativus* L.); rocket salad/arugula (*Eruca vesicaria* (L.) Cav.), garden cress (*Lepidium sativum* L.), watercress (*Nasturtium officinale* R. Br.) oil seeds (*Brassica napus* L. (rapeseed, possibly providing the largest volume of vegetable oils), *Sinapis alba* L. (white/yellow mustard), *Brassica juncea* (L.) Czern. (Indian mustard or brown mustard), *Brassica nigra* (L.) K. Koch (black mustard); few ornamental plants etc. Except in Antarctica and some parts of the tropics, the family Brassicaceae can be found everywhere on the earth.

Several species of aphids (Insecta: Heteroptera: Homoptera: Aphidoidea: Aphididae) such as *Brevicoryne brassicae* L., *Lipaphis (Lipaphis) erysimi* Kalt., *Lipaphis (Lipaphis) pseudobrassicae* (Davis), and *Myzus (Nectarosiphon) persicae* (Sulzer) are pestiferous on several brassica crops particularly on cabbage, cauliflower, radish (vegetables) and mustard (oil seeds) in India and warrant their control measure. These aphids feed by sucking sap from their host plants, leading to stunted growth, and they excrete a considerable amount of honeydew that covers the stomatal openings, hampering their normal physiological processes, like photosynthesis, transpiration and respiration and also allowing the growth of black sooty mould onto the leaves, which in turn proves detrimental to the normal activity of plant life [2]. In addition, these aphids also transmit viral diseases, e.g., *Myzus (Nectarosiphon) persicae* transmits more than 110 plant viruses, while *Lipaphis (Lipaphis) erysimi* alone transmits 13 viruses (Turnip mosaic virus, Beet mosaic virus, Cauliflower mosaic virus, Radish mosaic virus) [3]. Thelytokous parthenogenetic viviparity, complex life-cycles

with alternation of sexual and asexual generations, host plant alternation, polymorphism, short and telescopic generations are major traits that make aphids highly prolific in reproduction [4, 5]. The economic importance of the aphids infesting plants of the family Brassicaceae has already been dealt by several workers in India [6-9].

Probably, Lefroy & Howlett [10] were first to record an aphid, *Brevicoryne brassicae* on the radish, *Raphanus sativus* from India followed by Krishnamurthi [11] who observed *Lipaphis (Lipaphis) erysimi* on the black mustard, *Brassica nigra* in Karnataka (India). After a decade, Ghulam-Ullah [12] recorded *Brevicoryne brassicae*, *Lipaphis (Lipaphis) erysimi* and *Myzus (Nectarosiphon) persicae* on several species of *Brassica* crops both vegetables and oil seed. After independence, several workers, particularly the team of Zoological Survey of India, Kolkata and others worked hard in documenting the aphids on these plants. Raychaudhury [13] was the first to catalogue the food plants of Indian aphids. After almost two decades, Chakrabarti and Sarkar [14] updated this catalogue. Later on, Singh and Singh [15-23] and Singh *et al.* [24] updated the food plant catalogue of Indian species of aphids. Recently, the checklists of aphid-food plants of two plant families, Solanaceae [25] and Polygonaceae [26] were prepared. The present article provides an updated checklist of aphids infesting plants belonging to the family Brassicaceae in India.

## Materials and Methods

This checklist is based on the literature published in recent past books, journals and a few authentic theses and websites up to 31 May, 2022. In the present checklist, attempts have been made to provide the valid scientific names of the aphids following Favret [27] and <https://www.gbif.org>, and for the plants, following <https://www.gbif.org>, <http://www.ars-grin.gov>, and <http://www.theplantlist.org>. In the first inventory, their synonymies recorded in India are also mentioned. The synonymies of the aphids recorded on brassica plants are given by Singh & Singh [16-19].

## Results and Discussion

Among 794 species of aphids described under 208 genera in India [28], only 31 species of aphids belonging to a single subfamily Aphidinae (Tribe Aphidini: 8 species; Tribe Macrosiphini: 23 species) were recorded on at least 27 species of plants of the family Brassicaceae in India. The following checklist demonstrates that maximum number of the aphid species are found to colonise on *Brassica oleracea* and *Raphanus sativus* (15 species each), *Brassica napus* (9 species), and *Rorippa indica* (6 species), *Brassica juncea*, *Brassica rapa*, *Iberis amara* and *Lepidium didymum* (5 species on each) and less than 4 aphid species on rest of the plant species. Similarly, maximum number of plant species (19 plant species) were colonised by *Myzus (Nectarosiphon) persicae* followed by *Lipaphis (Lipaphis) erysimi* (18 plant species), *Brevicoryne brassicae* (15 plant species), *Aphis (Aphis) gossypii*, *Lipaphis (Lipaphis) pseudobrassicae*, *Myzus (Myzus) ornatus* (7 plant species by each), and *Aphis (Aphis) spiraecola* (5 plant species) and less than 5 plant species in case of other aphid species. Economic importance and food plant association of following aphid species that have been found to be pestiferous on brassica crops has earlier been dealt by several workers, e.g. of *Aphis (Aphis) gossypii* Glover [29], *Aphis (Aphis) spiraecola* Patch [30], *Brevicoryne brassicae* L. [6], *Lipaphis (Lipaphis) erysimi* (Kalt.) [8], *Lipaphis (Lipaphis) pseudobrassicae* (Davis) [9], *Myzus (Nectarosiphon) persicae* (Sulzer) [7] and *Sitobion (Sitobion) miscanthi* (Takahashi) [31]. Following are the updated aphid wise as well as plant wise (subgeneric name of the aphids and author names are excluded) checklist of aphids infesting the plants belonging to the Polygonaceae in India.

### I. Aphid-food plant checklist

#### A. Subfamily: Aphidinae; Tribe: Aphidini

##### 1. *Aphis (Aphis) craccivora* Koch, 1854

- *Brassica oleracea* L. (syn. *B. campestris* subsp. *sylvestris* (L.) Janch.; *B. cauliflora* Garsault; *B. oleracea* f. *alba* DC.; *B. o. capitata* (L.) Metzg.; *B. o. oleracea* L.; *B. o.* var. *acephala* DC.; *B. o.* var. *capitata* L.; *B. o.* var. *gongylodes* L.; *B. o.* var. *kashmiriana* Naqshi & Javeid; *B. o.* var. *laciniata* L.; *B. o.* var. *oleracea*) [32, 33]
- *Brassica rapa* L. (syn. *Brassica campestris* L.; *B. c.* var. *rapa* (L.) C. Hartm; *B. c. rapa* (L.) Hook. f.; *B. c.* var. *sarson* Prain; *B. rapa campestris* (L.) A.R.Clapham; *B. rapa sarson* (Prain) Denford; *B. r.* var. *dichotoma* (Roxb. ex Fleming) Kitam.; *Sinapis dichotoma* Roxb. [32]
- *Raphanus sativus* L. [32, 34]

##### 2. *Aphis (Aphis) gossypii* Glover, 1877

- *Brassica juncea* (L.) Czern. [35]
- *Brassica oleracea* L. [35, 36]
- *Brassica* sp. [35] (Raychaudhuri, 1973)
- *Capsella bursapastoris* (L.) Medik [37]
- *Iberis amara* L. [14]
- *Lepidium didymum* L. (syn. *Coronopus dydimus* (L.) Sm.; *Senebiera pinnatifida* DC.) [35]
- *Raphanus sativus* L. [34, 35]
- *Sisymbrium* sp. [38]

##### 3. *Aphis (Aphis) nasturtii* Kaltenbach, 1843

- *Rorippa indica* (L.) Hiern (syn. *Nasturtium indicum* (L.) DC.) [35, 39]

##### 4. *Aphis (Aphis) nerii* Boyer de Fonscolombe, 1841

- *Raphanus sativus* L. [40]

##### 5. *Aphis (Aphis) spiraecola* Patch, 1914

- *Brassica napus* L. [41]
- *Brassica oleracea* L. [35, 42]
- *Iberis amara* L. [42]
- *Raphanus sativus* L. [43, 44]
- *Rorippa indica* (L.) Hiern [35]

##### 6. *Aphis (Toxoptera) aurantii* Boyer de Fonscolombe, 1841

- *Lepidium* sp. (syn. *Senebiera* sp.) [34]

##### 7. *Aphis (Toxoptera) citricidus* (Kirkaldy, 1907)

- *Rorippa indica* (L.) Hiern [35]

##### 8. *Hyalopterus pruni* (Geoffroy, 1762)

- *Brassica oleracea* L. [45, 46]

#### B. Subfamily: Aphidinae; Tribe: Macrosiphini

##### 9. *Acyrthosiphon (Acyrthosiphon) malvae* (Mosley, 1841)

- *Sisymbrium* sp. [35, 47]

##### 10. *Akkaia bengalensis* Basu, 1968

- *Raphanus sativus* L. [48]

##### 11. *Akkaia sikkimensis* Agarwala & Raychaudhuri, 1977

- *Raphanus sativus* L. [34, 49]

##### 12. *Aulacorthum (Aulacorthum) solani* (Kaltenbach, 1843)

- *Brassica oleracea* L. [35]
- *Cardamine hirsuta* L. [50]

##### 13. *Brachycaudus (Brachycaudus) helichrysi* (Kaltenbach, 1843)

- *Brassica napus* L. [35]
- *Brassica oleracea* L. [35, 51]
- *Lepidium didymum* L. [35]

##### 14. *Brevicoryne barbareae* Nevsky, 1929

- *Barbarea vulgaris* R. Br. [44, 52]
- *Brassica* sp. [53]
- *Nasturtium* sp. [44, 52]
- *Raphanus sativus* L. [52]

##### 15. *Brevicoryne brassicae* (Linnaeus, 1758)

- *Brassica carinata* A. Braun [9]
- *Brassica juncea* (L.) Czern. [52]
- *Brassica napus* L. [41, 53]
- *Brassica nigra* (L.) K. Koch [36, 54]
- *Brassica oleracea* L. [51, 55]
- *Brassica rapa* L. [56]
- *Brassica rapa* L. [35, 53]
- *Brassica* sp. [12, 47]
- *Capsella bursapastoris* (L.) Medik [53]
- *Cardamine hirsuta* L. [52, 53]
- *Cardamine impatiens* L. [57]
- *Descurainia* sp. [51]
- *Iberis* sp. [58]
- *Matthiola incana* (L.) R. Br. (syn. *Guttarda incana* auct. n.) [57]
- *Nasturtium officinale* R. Br. [14]
- *Raphanus sativus* L. [10, 12]

**16. *Capitophorus* sp.**

- *Brassica oleracea* L. [59]

**17. *Dysaphis (cotoneasteria) microsiphon* (nevsky, 1929)**

- *Brassica oleracea* L. [60, 61]

**18. *Liosomaphis himalayensis* Basu, 1964**

- *Brassica napus* L. [34]
- *Brassica* sp. [35]
- *Raphanus sativus* L. [34]

**19. *Lipaphis (Lipaphis) erysimi* (Kaltenbach, 1843)**

- *Brassica carinata* A. Braun [62]
- *Brassica juncea* (L.) Czern. [35, 63]
- *Brassica juncea* (L.) Czern. [64]
- *Brassica napus* L. [35, 55]
- *Brassica nigra* (L.) K. Koch [11, 41]
- *Brassica oleracea* L. [12, 53]
- *Brassica rapa* L. [59, 65]
- *Cardamine hirsuta* L. [59]
- *Eruca vesicaria* (L.) Cav. (syn. *Eruca sativa* Miller) [66, 67]
- *Erysimum cheiri* (L.) Crantz (syn. *Cheiranthus cheiri* L.) [37]
- *Iberis amara* L. [35, 57]
- *Lepidium didynum* L. [37]
- *Lepidium sativum* L. [37]
- *Matthiola incana* (L.) R.Br. [57, 65]
- *Nasturtium officinale* R. Br. [14]
- *Nasturtium* sp. [37]
- *Raphanus sativus* L. [41, 65]
- *Rorippa indica* (L.) Hiern [35, 53]
- *Sisymbrium irio* L. [37]

**20. *Lipaphis (Lipaphis) pseudobrassicae* (Davis, 1914)**

- *Brassica juncea* (L.) Czern. [55]
- *Brassica juncea* (L.) Czern. [51]
- *Brassica oleracea* L. [55]
- *Brassica oleracea* L. [51]
- *Brassica rapa* L. [55]
- *Matthiola incana* (L.) R.Br. [68]
- *Raphanus sativus* L. [55, 68]

**21. *Macromyzus (Macromyzus) manoji* Raha & Raychaudhuri, 1978**

- *Matthiola fruticulosa* (L.) Maire (syn. *Cheiranthus varius* Sibth. & Sm.) [69]

**22. *Macromyzus (Macromyzus) woodwardiae* (Takahashi, 1921)**

- *Matthiola fruticulosa* (L.) Maire [53]

**23. *Macroiphoniella (Macroiphoniella) pseudoartemisiae* Shinji, 1933**

- *Brassica* sp. [70]

**24. *Myzus (Myzus) cerasi* (Fabricius, 1775)**

- *Cardamine* sp. [46, 71]

**25. *Myzus (Myzus) dycei* Carver, 1961**

- *Raphanus sativus* L. [45]

**26. *Myzus (Myzus) ornatus* Laing, 1932**

- *Brassica napus* L. [35]
- *Brassica oleracea* L. [35]
- *Cardamine hirsuta* L. [35]

- *Iberis amara* L. [35]

- *Iberis* sp. [57]

- *Lepidium didymum* L. [35]

- *Raphanus sativus* L. [35]

- *Rorippa indica* (L.) Hiern [35]

**27. *Myzus (Nectarosiphon) ascalonicus* Doncaster, 1946**

- *Lepidium didymum* L. [72]

**28. *Myzus (Nectarosiphon) persicae* (Sulzer, 1776)**

- *Brassica carinata* A. Braun [9]

- *Brassica juncea* (L.) Czern. [12, 35]

- *Brassica napus* L. [35, 73]

- *Brassica nigra* (L.) K. Koch [42]

- *Brassica oleracea* L. [12, 41]

- *Brassica rapa* L. [12, 44]

- *Brassica* sp. [51]

- *Capsella bursapastoris* (L.) Medik [37]

- *Cardamine impatiens* L. [57]

- *Descurainia sophia* (L.) Webb ex Prantl (syn. *Descorina sovia* auct. n.) [74]

- *Eruca vesicaria* (L.) Cav. [37]

- *Erysimum cheiri* (L.) Crantz [37]

- *Iberis amara* L. [57]

- *Iberis* sp. [56]

- *Lepidium didymum* L. [35, 37]

- *Lepidium sativum* L. [37]

- *Nasturtium* sp. [37]

- *Raphanus sativus* L. [35, 70]

- *Rorippa indica* (L.) [35]

- *Sinapis alba* L. (syn. *Brassica alba* (L.) Rabenh.; *B. a. alba* (L.) Rabenh.) [35]

- *Sisymbrium irio* L. [37]

**29. *Sitobion (Sitobion) miscanthi* (Takahashi, 1921)**

- *Brassica napus* L. [44]

- *Brassica oleracea* L. [75]

**30. *Sitobion (Sitobion) avenae* (Fabricius, 1775)**

- *Brassica napus* L. [38]

**31. *Sitobion (Sitobion) rosaeiformis* (Das, 1918)**

- *Sisymbrium irio* L. [76]

**II. Food plant-aphid checklist**

1. *Barbarea vulgaris*: *Brevicoryne barbareae*

2. *Brassica carinata*: *Brevicoryne brassicae*, *Lipaphis erysimi*, *Myzus persicae*

3. *Brassica juncea*: *Aphis gossypii*, *Brevicoryne brassicae*, *Lipaphis erysimi*, *Lipaphis pseudobrassicae*, *Myzus persicae*

4. *Brassica napus*: *Aphis spiraecola*, *Brachycaudus helichrysi*, *Brevicoryne brassicae*, *Liosomaphis himalayensis*, *Lipaphis erysimi*, *Myzus ornatus*, *Myzus persicae*, *Sitobion miscanthi*, *Sitobion avenae*

5. *Brassica nigra*: *Brevicoryne brassicae*, *Lipaphis erysimi*, *Myzus persicae*

6. *Brassica oleracea*: *Aphis craccivora*, *Aphis gossypii*, *Aphis spiraecola*, *Aulacorthum solani*, *Brachycaudus helichrysi*, *Brevicoryne brassicae*, *Capitophorus* sp., *Dysaphis microsiphon*, *Hyalopterus pruni*, *Lipaphis erysimi*, *Lipaphis pseudobrassicae*, *Lipaphis pseudobrassicae*, *Myzus ornatus*, *Myzus persicae*, *Sitobion miscanthi*

7. ***Brassica rapa***: *Aphis craccivora*, *Brevicoryne brassicae*, *Lipaphis erysimi*, *Lipaphis pseudobrassicae*, *Myzus persicae*
8. ***Brassica* sp.**: *Aphis gossypii*, *Brevicoryne barbareae*, *Brevicoryne brassicae*, *Liosomaphis himalayensis*, *Lipaphis erysimi*, *Macrosiphoniella pseudoartemisiae*, *Myzus persicae*
9. ***Capsella bursapastoris***: *Aphis gossypii*, *Brevicoryne brassicae*, *Myzus persicae*,
10. ***Cardamine hirsuta***: *Aulacorthum solani*, *Brevicoryne brassicae*, *Lipaphis erysimi*, *Myzus ornatus*
11. ***Cardamine impatiens***: *Brevicoryne brassicae*, *Myzus persicae*
12. ***Descurainia sophia***: *Myzus persicae*
13. ***Descurainia* sp.**: *Brevicoryne brassicae*
14. ***Eruca vesicaria***: *Lipaphis erysimi*, *Myzus persicae*
15. ***Erysimum cheiri***: *Lipaphis erysimi*, *Myzus persicae*
16. ***Iberis amara***: *Aphis gossypii*, *Aphis spiraecola*, *Lipaphis erysimi*, *Myzus ornatus*, *Myzus persicae*
17. ***Iberis* sp.**: *Brevicoryne brassicae*, *Myzus ornatus*, *Myzus persicae*
18. ***Lepidium didymum***: *Aphis gossypii*, *Brachycaudus helichrysi*, *Lipaphis erysimi*, *Myzus ornatus*, *Myzus persicae*
19. ***Lepidium sativum***: *Lipaphis erysimi*, *Myzus persicae*
20. ***Lepidium* sp.**: *Aphis aurantii*
21. ***Matthiola fruticulosa***: *Macromyzus manoji*, *Macromyzus woodwardiae*
22. ***Matthiola incana***: *Brevicoryne brassicae*, *Lipaphis erysimi*, *Lipaphis pseudobrassicae*
23. ***Nasturtium officinale***: *Brevicoryne brassicae*, *Lipaphis erysimi*
24. ***Nasturtium* sp.**: *Brevicoryne barbareae*, *Lipaphis erysimi*, *Myzus persicae*
25. ***Raphanus sativus***: *Akkaia bengalensis*, *Akkaia sikkimensis*, *Aphis craccivora*, *Aphis gossypii*, *Aphis nerii*, *Aphis spiraecola*, *Brevicoryne barbareae*, *Brevicoryne brassicae*, *Liosomaphis himalayensis*, *Lipaphis erysimi*, *Lipaphis pseudobrassicae*, *Lipaphis pseudobrassicae*, *Myzus dycei*, *Myzus ornatus*, *Myzus persicae*
26. ***Rorippa indica***: *Aphis nasturtii*, *Aphis spiraecola*, *Aphis citricidus*, *Lipaphis erysimi*, *Myzus ornatus*, *Myzus persicae*
27. ***Sinapis alba***: *Myzus persicae*
28. ***Sisymbrium irio***: *Lipaphis erysimi*, *Myzus persicae*, *Sitobion rosaeiformis*
29. ***Sisymbrium* sp.**: *Acyrthosiphon malvae*, *Aphis gossypii*

## Conclusion

The present checklist displays that 27 species of brassica plants are infested by 31 species of aphids in India. Plant species, *Brassica oleracea* and *Raphanus sativus* are infested by 15 species of aphids. Two major aphid pests on agricultural crops, *Myzus (Nectarosiphon) persicae* and *Lipaphis (Lipaphis) erysimi* infest 19 and 18 brassica species.

## References

1. TPL. <http://www.theplantlist.org>, Version 1.1, accessed on May 31, 2022.
2. Singh R, Singh G. Aphids. In: Polyphagous Pests of Crops (Ed. Omkar). Springer Nature Singapore, 2021, p105-182.
3. Singh R, Singh G. Aphids and their biocontrol. In: Ecofriendly Pest Management for Food Security (Ed. Omkar). Academic Press, 2016, p63-108.
4. Singh R, Ghosh S. The glimpses of Indian aphids (Insecta: Hemiptera, Aphididae). Proc Nat Acad Sci, Allahabad, 2002; 72B(3-4):215-234.
5. Singh R, Singh G. Reproductive strategies in aphids. In: Reproductive Strategies in Insects (Eds. Omkar and Mishra G.), Taylor and Francis Group, LLC, 2022, p259-282.
6. Pal M, Singh R. Biology and ecology of the cabbage aphid, *Brevicoryne brassicae* (Linn.) (Homoptera: Aphididae): a review. Journal of Aphidology, 2013; 27:59-78.
7. Singh R, Singh G, Tiwari AK, Sharma A, Patel A, Pratibha. *Myzus (Nectarosiphon) persicae* (Sulzer, 1776) (Homoptera: Aphididae): Updated check list of host plants in India. International Journal of Zoological Investigations, 2015; 1:8-25.
8. Gautam MP, Singh SN, Kumar P, Yadav SK, Singh DP, Pandey MK. Mustard aphid, *Lipaphis erysimi* (Kalt) (Homoptera: Aphididae): a review. The Pharma Innovation Journal, 2019; 8(9):90-95.
9. Patel S, Singh CP, Yadav SK. Monitoring of insect-pest complex on rapeseed-mustard at Pantnagar. Journal of Entomological Research, 2019; 43(1):73-76. doi:10.5958/0974-4576.2019.00014.8
10. Lefroy HM, Howlett FM. Indian Insect Life. A manual of the insects of the plains (Tropical India). W. Thacker & Co, London, 1909, p743-748.
11. Krishnamurthi B. Aphididae of Mysore. I. Journal of Bombay Natural History Society, 1929; 33:211-215.
12. Ghulam-Ullah. Studies of Indian Aphididae - I: The Aphid fauna of Delhi. Indian Journal of Entomology, 1940; 2:13-25.
13. Raychaudhuri DN. Food Plant catalogue of Indian Aphididae. Graphic Printall, Culcutta, India, 1983, p204.
14. Chakrabarti S, Sarkar A. A supplement to the food-plant catalogue of Indian Aphididae. Journal of Aphidology, 2001; 15:9-62.
15. Singh G, Singh R. Food plant records of aphids (Aphididae: Sternorrhyncha: Hemiptera) in India belonging to subfamilies Aiceoninae, Anoeciinae, Chaitophorinae and Drepanosiphinae. International Journal of Zoological Investigations, 2016; 2(2):281-295.
16. Singh G, Singh R. Food plant records of Aphidini (Aphidinae: Aphididae: Hemiptera) in India. Journal of Entomology and Zoology Studies, 2017; 5(2):1280-1302.
17. Singh G, Singh R. Updated checklist of food plants of Macrosiphini (Aphididae: Hemiptera) in India - 1. International Journal of Research Studies in Zoology, 2017; 3(1):6-33. <http://dx.doi.org/10.20431/2454-941X.0301002>
18. Singh G, Singh R. Updated checklist of food plants of Macrosiphini (Aphididae: Hemiptera) in India – 2. International Journal of Research Studies in Zoology, 2017; 3(1):42-76. <http://dx.doi.org/10.20431/2454-941X.0301004>
19. Singh G, Singh R. Updated checklist of food plants of Macrosiphini (Aphididae: Hemiptera) in India – 3. International Journal of Research Studies in Zoology, 2017; 3(2):1-31.

- http://dx.doi.org/10.20431/2454-941X.0302001
20. Singh G, Singh R. Updated checklist of host plants of Calaphidinae (Aphididae: Hemiptera) in India. International Journal of Contemporary Research and Review, 2017; 8(2):20171-20190. http://dx.doi.org/10.15520/ijcrr/2017/8/02/111
  21. Singh G, Singh R. Updated checklist of Indian Eriosomatinae (Aphidinae: Aphididae: Hemiptera) and their food plants. Journal of Entomology and Zoology Studies, 2017; 5(1):921-936.
  22. Singh G, Singh R. Updated checklist of Greenideinae (Aphididae: Hemiptera) and its host plants in India. International Journal of Contemporary Research and Review, 2017; 8(3):20191-20219. http://dx.doi.org/10.15520/ijcrr/2017/8/03/139
  23. Singh G, Singh R. Updated checklist of Indian Hormaphidinae (Aphididae: Hemiptera) and their food plants. Journal of Entomology and Zoology Studies, 2018; 6(2):1345-1352.
  24. Singh G, Prasad M, Singh R. Updated check-list of Lachninae, Lizeriinae, Mindarinae, Phyllaphidinae, Saltusaphidinae, Taiwanaphidinae and Thelaxinae (Aphididae: Hemiptera) and their food plants in India. Journal of Entomology and Zoology Studies, 2018; 6(2):3157-3166.
  25. Singh R, Singh G. Diversity of aphids (Homoptera: Aphididae) infesting solanaceous plants (Angiospermae: Solanales: Solanaceae) in India. International Journal of Biological Innovations, 2022; 4(1):189-204. https://doi.org/10.46505/IJBI.2022.4121
  26. Singh R, Agrawal R. Diversity of aphids (Homoptera: Aphididae) infesting polygonaceous plants (Angiospermae: Caryophyllales: Polygonaceae) in India. International Journal of Biological and Environmental Investigations, 2021, 1(2).
  27. Favret C. Aphid Species File. Version 5.0/5.0. <http://Aphid.SpeciesFile.org> (accessed on May 31, 2022).
  28. Singh R, Singh G. Species diversity of Indian aphids (Homoptera: Aphididae). International Journal of Biological Innovations, 2019; 1(1):23-29. https://doi.org/10.46505/IJBI.2019.1105
  29. Singh G, Singh NP, Singh R. Food plants of a major agricultural pest *Aphis gossypii* Glover (Homoptera: Aphididae) from India: an updated checklist. Internal Journal of Life Science, Biotechnology & Pharma Research, 2014; 3(2):1-26. http://www.ijlbpr.com/currentissue.php
  30. Singh G, Singh R. Distribution of *Aphis (Aphis) spiraecola* Patch 1914 (Aphidini: Aphidinae: Aphididae: Hemiptera) and its food plants recorded in India. International Journal of Recent Advancement & Multidisciplinary Research, 2016; 3(12):2100-2111.
  31. Srivastava A, Singh R. Systematics, nymphal characteristics and food plants of *Sitobion (Sitobion) miscanthi* (Takahashi) (Homoptera: Aphididae). International Journal of Research Studies in Biosciences, 2014; 2(9):17-41.
  32. Ahmad ME, Kumar KM. Food plants and natural enemies of *Aphis craccivora* Koch (Homoptera: Aphididae) in northeast Bihar. Journal of Aphidology, 2006; 21:61-69.
  33. Ahmad ME, Kumar S, Parween N, Rakhshan. Bio-ecological study of few species of *Aphis* Linn. in northeast bihar and their association with food plants and natural enemies for possible use in the biological control. Journal of Advanced Zoology, 2020; 41(1&2):103-116. https://doi.org/10.17762/jaz.v41i01.24
  34. Agarwala BK. Some aspects of aphid (Homoptera: Insecta) studies in Sikkim and Bhutan, Ph. D. thesis, University of Calcutta, India, 1979, 383p.
  35. Raychaudhuri DN. Taxonomy of the aphids of the Eastern Himalayas. US PI 480 Project Tech. Report, 1973, 107p.
  36. Ahmed ME, Singh R. Seasonal abundance of aphids, *Rhopalosiphum* spp, their parasitoids on plants of economic importance from Northeastern Uttar Pradesh. Journal of Advanced Zoology, 1994; 15:116-119.
  37. Behura BK. Aphids of India. survey of published information. recent advancement in zoology, India, 1963, 25-78.
  38. Rishi ND. Aphids. Recent trends in aphidological Studies, Bhubaneswar, 1975, 52.
  39. Rao SN, Kulkarni PP. Studies on the aphid fauna (Homoptera: Aphididae) of Marathwada (Maharastra). II. Marathwada University Journal of Natural Science, 1977; 16:141-150.
  40. Ghosh LK. On a collection of aphids (Homoptera: Aphididae) from Rajasthan, India. Indian Journal of Science & Industry (B), 1970; 4:85-89.
  41. Raychaudhuri D. Taxonomy and biology of aphids (Homoptera: Aphididae) of Manipur. Ph. D. thesis, University of Calcutta, India, 1978, 308p.
  42. Agrawal R, Singh R, Singh R. New records of host plants of *Myzus persicae* (Sulzer, 1776) (Homoptera: Aphididae) in northeastern Uttar Pradesh. 9th National Symposium on Recent Advances in Aphidology, Banaras Hindu University, Varanasi, 2006, 31.
  43. Bhalla OP. Addition to the aphid fauna of Himachal Pradesh. Himachal Journal of Agricultural Research, 1971; 1:51-52.
  44. Bhalla OP, Pawar AD. A survey of insect and non-insect pests of economic importance in Himachal Pradesh. Published by Department of Entomology & Zoology, College of Agriculture, Chambaghat, Solan (H.P.), 1980.
  45. Raha SK, Singh TK, Raychaudhuri D, Raychaudhuri DN. New records of aphids (Homoptera: Aphididae) from Manipur and Nagaland. Science & Culture, 1977; 43:452-453.
  46. Ghosh LK. Handbook on hemipteran pests in India, Zoological Survey of India, Kolkata, 2008, 453p. http://faunaofindia.nic.in/PDFVolumes/hpg/038/index.pdf
  47. Banerjee H, Ghosh Akola, Raychaudhuri DN. On a collection of aphids (Homoptera: Aphididae) from Kullu valley, west Himalaya. Oriental Insects, 1969; 3:255-264.
  48. Raychaudhuri DN, Ghosh D, Raychaudhuri D, Agarwala BK. Studies on the aphids (Homoptera: Aphididae) from south India. I. Insecta matsumurana, n. s., 1981; 23:1-20. https://eprints.lib.hokudai
  49. Agarwala BK, Raychaudhuri DN. Two new species of aphids (Homoptera: Aphididae) from Sikkim, northeast India. Entomon, 1977; 2:77-80.
  50. Ghosh LK. A study on the aphids (Homoptera: Aphididae)

- of Himachal Pradesh in North-West Himalaya, India, Ph. D. thesis, University of Calcutta, India, 1977, 360p.
51. Khan AA, Shah MA. Records of aphids and their natural enemies in agro-ecosystem with special reference to horticultural ecosystem of Kashmir. Journal of Entomology and Zoology Studies, 2017; 5(4):189-203.
52. Ghosh LK, Raychaudhuri D, Raychaudhuri DN, Raha S. An account of the genus *Brevicoryne* Goot (Homoptera: Aphididae) in India with description of sexual morph of *B. barbara* Neovsky. Bulletin of Zoological Survey of India, Kolkata, India, 1980; 3:63-68. <http://faunaofindia.nic.in/PDFVolumes/bulletin/003/01-02/0063-0068.pdf>
53. Ahmed ME, Singh R. Records of Macrosiphini of Northeastern Uttar Pradesh and its relationship with food plants and natural enemies. Journal of Aphidology, 1995; 9:80-86.
54. Raychaudhuri DN. Aphids of North-East India and Bhutan. Zoological Society, Calcutta, 1980, 521p.
55. Bhat DM, Khan SA, Ahanger FA, Sheikh MA. Diversity of aphid pests (Homoptera: Aphididae) and their natural bio-control agents in vegetable crop ecosystems of Jammu & Kashmir, India. International Journal of Current Microbiology and Applied Sciences, 2020; 9(5):2529-2546. doi:10.20546/ijcmas.2020.905.290
56. Behura BK. Suppliment to aphids of India - a survey of published information. Prakruti - Journal of Utkal University, Science, 1965; 3:40-65.
57. Chakrabarti S. Aphids of north western India with special reference to Kumaon range, Uttar Pradesh, Ph. D. thesis. University of Calcutta, India, 1972, 435p.
58. Banerjee PK, Chakrabarti S, Chakrabarti S. Host association and undescribed alate viviparous female of *Matsumuraja capitophorooides* Hille Ris Lambers (Homoptera: Aphididae). Journal of Bombay Natural History Society, 1991; 88:293-296.
59. Rao VP. Survey for natural enemies in India. CIBC. Indian Station, U.S. PL 480 Project, Final Tech. Rep, 1969, 93p.
60. Ghosh AK, Chakrabarti S, Chowdhuri AN, Raychaudhuri DN. Aphids (Homoptera) of Himachal Pradesh, India. Oriental Insects, 1969; 3:327-334.
61. Chakrabarti S, Medda PK. Taxonomic studies on *Dysaphis* Börner (Homoptera: Aphididae) from the Indian subcontinent. Oriental Insects, 1993; 27:93-130.
62. Gupta MP. Reaction of ethiopean mustard, *Brassica carinata* Braun genotypes to mustard aphid *Lipaphis erysimi* (Kalt.). Indian Journal of Ecology, 2003; 30:121-123.
63. Devi CM, Singh TK, Varathrajan R. Role of natural enemies in the management of *Lipaphis erysimi* (Kalt.) on *Brassica juncea* var. *rugosa* (Linn.). Journal of Biological Control, 2002; 16:27-30.
64. Subhrani S, Singh PM, Singh TK. Biodiversity of aphidiine parasitoids (Hymenoptera: Braconidae) on certain crops in Manipur. Journal of Aphidology, 2006; 20(1):1-4.
65. Verma AN, Khurana, AD, Bhanot JP. Aphids of Hissar (Haryana). Haryana Agricultural University Journal of Research, 1975; 5:11-14.
66. Bakhetia DR, Sharma AK. Preliminary observations on aphid infestation on *Eruca sativa* Mill. Indian Journal of Entomology, 1979; 4:288-289.
67. Singh OP. Reference on *Lipaphis erysimi*. Newsletter, Aphidological Society of India, 1980; 1:7.
68. Rizvi SMA, Paul Khurana SM. Aphid fauna of economic crop plants in Gorakhpur. Science & Culture, 1970; 36:49.
69. Raha SK, Raychaudhuri DN. A new species of *Macromyzus* Takahashi from West Bengal. Entomon, 1978; 3:111-113.
70. Saha JL, Poddar SC, Das SK, Agarwala BK, Raychaudhuri D. Studies on the aphid parasites (Hymenoptera: Aphidiidae) from Himachal Pradesh, India. Akitu, N.S, 1982; 44:1-12.
71. Bhattacharya DK, Chakrabarti S. Stratigraphic distribution and host association of aphidinae aphids (Homoptera: Aphididae) of Garhwal range of Western Himalaya. Journal of Aphidology, 1987; 1:64-69.
72. Basu RC, Ghosh AK, Raychaudhuri DN. Studies on the aphids (Homoptera: Aphididae) from eastern India. VIII. A new genus and records of aphids from Assam. Science & Culture, 1974; 40:41-43.
73. Agarwala BK, Raychaudhuri D, Raychaudhuri DN. Parasites and predators of aphids in Sikkim and Manipur (Northeast india). III. Entomon, 1980; 5:39-42.
74. Takada H, Rishi ND. Records of fifteen species of Aphidiide (Hymenoptera) from Kashmir, India with descriptions of three new species. Kontyu, 1980; 48:234-240.
75. Basu RC, Ghosh AK, Raychaudhuri DN. A new species of *Eutrichosiphum* and notes on other new records of aphids (Insecta: Homoptera) from NEFA (Arunachal). Science & Culture, 1972; 38:494-495.
76. Kar I, Basu G, Khuda-Bukhsh AR. A check-list of chromosomes in aphids (Homoptera: Aphididae) worked out in India along with the names and families of their host plants. Environment & Ecology, 1990; 8(1):414-428.